H264-26

ITU

International Telecommunication Union Telecommunication Standardization Sector

ISO International Organization for Standardization

JEC International Electrotechnical Commission







Patent Statement and Licensing Declaration

for a common text or twin text ITY-T Recommendation | ISO/IEC International Standard This form is on y to be used for such common texts or twin texts

This declaration does not represent an implied license grant

Please return to both organizations:

Telecommunication Standardization Bureau International Telecommunication Union

Place ics Nations CH-12.1 Geneva 20,

Switzerland

Fax: +41 22 730 5853

Secretary General

International Organization for Standardization

I me de Varembe CH-1211 Geneva 20 Switzerland

Pax: +41 22 734 1079

		Pax: +41 ZZ
Patent Holder/Or	ganization:	
Legal Name	Conexant Systems	
Contact for license	e application:	- Carrier
Name & Department	Sam Talpalatsky	
Address	4311 Jamboree Road, MallStop: M08-803 P. O. Box C	
and a	Newport Beach, C.A. 92660-3095	
Tel.	949-483-3231	
Pax	949-483-3206	
E-mail	sam.talpalatsky(;)nexant.com	
ITU-T Recommand	dation ISO/IEC In trnational Standard:	
Number Title	ISO/IEC 14496-10 : 2002 (E); ITU-T Rec. H.264 (2002 E)	-
Licensing declaration		V4

The Patent Holder believes that it holds granted patents and/or pending applications, the use of which would be required to implement the above ITU-T Recommendation | ISO/IFC International Standard and hereby declares, in accordance with the Statement on ITU-T Patent Policy (see ITU-T web site) and the ISO/IEC Parent Policy (JTC 1 Directives), that (check one box only).

- The Patent Holder will grant a royalty-free license to an unrestricted number of applicants on a worldwide, non-discriminatory basis to use the patented material necessary in order to manufacture, use, and/or sell implementation; et the above ITU-T Recommendation | ISO/IEC International Standard. Mark here __ if the Petent Holder's willingness to license is conditioned on reciprocity for the above ITU-T Recommenda in | ISO/IEC International Standard.*
- The Patent Holder will crant a license to an unrestricted number of applicants on a X worldwide, non-discriminatory basis and on reasonable terms and conditions to use the patented material necessary in order to manufacture, use, and/or sell implementations of the above ITU-T Recommendation | ISO/IEC International Standard. Mark here _X_ if the Patent Holder's willingness to license is conditioned on reciprocity for the above ITU-T Recommendation | ISO/IEC International Standard.*

Negotiations of licenses are left to the parties concerned and are performed outside the ITU-T |

- The Patent Holder is unvisling to grant licenses in accordance with provisions of either 1 or 2 above. In this case, the following information must be provided as part of this declaration:
- patent registration/application amber;
- an Indication of which porting of the ITU-T Recommendation | ISO/IEC International Standard
- a description of the patent $c \approx \pi s$ covering the ITU-T Recommendation | ISO/IBC International

Standard	:
----------	---

* "Reciprocity" means with respect to other parties that have a patent or patent claim required in the use or implementation of the relevant ITU-T Recommendation(s) | ISO/IEC International Standard(s), the Patent Holder shall only be required to license to such parties if they are willing to license their patents or patent claims under options 1 or 2 of the Patent Statement and Licensing Declaration.

Signature

Organization	Conexant Systems Inc.	
Name of authorized	Eric Viscito	
person	- 1 to 1	
Title of authorized	Distinguished Engineer	
person		
Signature	Eine Janto	

Liberalizing comment:

In addition the Patent Holder is prepared to grant a "royalty-free" license to anyone on condition that all other patent holders do the same.

No	Registration Number/ Country	Title/ Inventor	Status [granted pending
1			
2			
3			
4			
5			
6			
7		10 10 10 10 10 10 10 10 10 10 10 10 10 1	
8			
9			
0			
1			
2			
3			
4			
5		VE VALUE	
5			
,			
-			
,			
			1